

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S258	1649	transparent near15 function\$1 near10 device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:08
S259	1861	transparent near15 (function\$1 or capabilit\$3) near10 device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:38
S260	1171	transparent near15 (function\$1 or capabilit\$3) near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:10
S261	14	transparent near15 (function\$1 or capabilit\$3) near10 device\$1 and behalf near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:38
S262	16	transparent same behalf near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:21
S263	5	determin\$5 near15 configure\$1 near15 process\$3 near15 request\$3 near10 function\$2 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:37
S264	1171	transparent near15 (function\$1 or capabilit\$3) near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:38
S265	69	transparent near15 (function\$1 or capabilit\$3) near10 device\$1 same network and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:38

## EAST Search History

S26 6	18	transparent near15 (function\$1 or capabilit\$3) near10 device\$1 same ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:44
S26 7	143	provid\$4 near15 (function\$1 or capabilit\$3) near10 device\$1 same ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:44
S26 8	20979063	provid\$4 near15 (function\$1 or capabilit\$3) near10 device\$1 same ((local near2 network) or lan) and pass\$3 near15 device\$1 (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:45
S26 9	18	provid\$4 near15 (function\$1 or capabilit\$3) near10 device\$1 same ((local near2 network) or lan) and pass\$3 near15 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:46
S27 0	177	provid\$4 near15 (function\$1 or capabilit\$3) near10 exist\$4 near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:47
S27 1	38	provid\$4 near15 (function\$1 or capabilit\$3) near10 exist\$4 near10 device\$1 and (behalf or transparen\$3) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:49
S27 2	8	augment\$4 near15 (function\$1 or capabilit\$3) near10 exist\$4 near10 device\$1 and (behalf or transparen\$3) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:50
S27 3	69	(augment\$4 or provid\$4) near15 (function\$1 or capabilit\$3) near10 (behalf or transparen\$3) near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:53

## EAST Search History

S27 4	18	("6163806" "6128664" "6098116" "6073266" "6058429" "6052788" "6032208" "5949779" "5768525"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:54
S27 5	18	("6163806" "6128664" "6098116" "6073266" "6058429" "6052788" "6032208" "5949779" "5768525"). pn. and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 18:58
S27 6	9	provid\$4 near15 unsupport\$4 near10 (function\$5 or capabilit\$4) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:02
S27 7	337	unsupport\$4 near10 (function\$5 or capabilit\$4) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:03
S27 8	0	augment\$4 near15 unsupport\$4 near10 (function\$5 or capabilit\$4) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:02
S27 9	19	unsupport\$4 near10 (function\$5 or capabilit\$4)near10 device and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:08
S28 0	20	unsupport\$4 near10 (function\$5 or capabilit\$4)near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:06
S28 1	28	process\$4 near15 unsupport\$4 near10 (function\$5 or capabilit\$4) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:07

## EAST Search History

S28 2	17	provid\$4 near15 unsupport\$4 near10 (module\$1 or application\$1) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:07
S28 3	18503	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 device and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:09
S28 4	23268	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:13
S28 5	16	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 device\$1 and device\$1 near10 unsupport\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1) and(@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:10
S28 6	263	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 exist\$4 near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:13
S28 7	78	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 transpar\$6 near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:15
S28 8	189	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 local near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:16
S28 9	189	provid\$4 near10 (function\$5 or capabilit\$4 or module\$1 or application\$1)near10 local near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:18

## EAST Search History

S29 0	106	provid\$4 near10 (function\$5 or capabilit\$4)near10 local near10 device\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:19
S29 1	2	provid\$4 near10 (function\$5 or capabilit\$4) near10 local near10 device\$1 and process\$4 near15 (job\$1 or request\$1 or message\$1) near15 behalf and(@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:20
S29 2	29	process\$4 near15 (job\$1 or request\$1 or message\$1) near15 behalf near12 local and(@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:23
S29 3	0	process\$4 near15 (job\$1 or request\$1 or message\$1) near15 behalf near12 local and unsupport\$4 near15 (function\$1 or capabilit\$4) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:21
S29 4	44	process\$4 near15 (job\$1 or request\$1 or message\$1) near15 unsupport\$4 and(@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 19:23
S29 5	0	transparen\$4 near15 server near15 printer same (lan or (local near2 network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 09:48
S29 6	11264	transparen\$2 near15 support\$1 near15 device\$1 or printer\$1 same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 09:49
S29 7	3	transparen\$2 near15 support\$1 near15 (device\$1 or printer\$1) same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 09:51

## EAST Search History

S29 8	21	provid\$4 near15 support\$1 near15 (device\$1 or printer\$1) same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 09:51
S29 9	37	provid\$4 near15 support\$4 near15 (device\$1 or printer\$1) same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:14
S30 0	431	intercept\$3 same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:15
S30 1	7	intercept\$3 near15 address\$4 near15 (printer\$1 or device\$1) same (lan or (local near2 network)) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:16
S30 2	21	transpar\$5 near15 printer\$1 near2 server and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:20
S30 3	390	(request\$1 or message\$1 or job\$1) near15 ((external near network) or internet) same ((local near2 network) or lan) and transpar\$5 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:22
S30 4	7	receiv\$4 near15 (request\$1 or message\$1 or job\$1) near15 ((external near network) or internet) same (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:37
S30 5	4	("6985242" "6348971").pn. and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:34

## EAST Search History

S30 6	405	print\$4 near15 (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:39
S30 7	0	print\$4 near15 (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 near5 printer near server and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:37
S30 8	1	transpar\$5 near5 printer near server and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:38
S30 9	0	printer near server near10 behalf and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:38
S31 0	212	print\$4 near15 (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 and internet and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:39
S31 1	41	print\$4 near15 (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 and internet and address\$2 near5 (local or lan) near10 (printer\$1 or device\$1) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:47
S31 2	1	print\$4 near15 global near (device\$1 or printer\$1) near10 ((local near2 network) or lan) and transpar\$5 and internet and address\$2 near5 (local or lan) near10 (printer\$1 or device\$1) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:44

## EAST Search History

S31 3	0	print near job near15 address\$2 near10 printer\$1 near10 ((local near2 network) or lan) and transpar\$5 and internet and address\$2 near5 (local or lan) near10 (printer\$1 or device\$1) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:48
S31 4	0	print near job near15 address\$2 near10 printer\$1 near10 ((local near2 network) or lan) and transpar\$5 and internet and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:48
S31 5	1	print near job near15 address\$2 near10 printer\$1 near10 ((local near2 network) or lan) and internet and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:50
S31 6	10	ip near address\$2 near10 printer\$1 near10 ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:55
S31 7	0	ip near address\$2 near10 printer\$1 near10 ((local near2 network) or lan) and internet same ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:52
S31 8	58	ip near address\$2 near10 printer\$1 and printer\$1 near10 ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:55
S31 9	48	ip near address\$2 near10 printer\$1 and printer\$1 near10 ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:56
S32 0	4923	server near15 internet near10 ((local near2 network) or lan) and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 10:57



## EAST Search History

S32 1	14	server near15 internet near10 ((local near2 network) or lan) and ip near address\$2 near10 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 11:54
S32 2	117	remote near15 print\$4 near15 local near network and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 11:55
S32 3	15	remote near15 print\$4 near15 local near network and address\$2 near6 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:06
S32 4	4	remote near15 print\$4 near15 local near network and address\$2 near6 printer\$1 and local near network same internet and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 11:56
S32 5	7	remote near5 (client or user) near15 print\$4 near15 local near (network or printer) and address\$2 near6 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:07
S32 6	3	remote near2 (client or user) near15 print\$4 near15 local near (network or printer) and address\$2 near6 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:08
S32 7	112	(client or user) near15 print\$4 near15 local near (network or printer) and address\$2 near6 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:08
S32 8	2	(client or user) near15 print\$4 near15 local near (network or printer) and ip near address\$2 near6 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514") not S316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:09

## EAST Search History

S32 9	4	remot\$4 near15 print\$4 near15 local near (network or printer) and address\$2 near6 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:10
S33 0	11	remot\$4 near15 print\$4 near15 address\$2 near6 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:13
S33 1	469	remot\$4 near15 print\$4 near15 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:13
S33 2	112	remot\$4 near5 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:14
S33 3	2	remot\$4 near5 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and address\$2 near5 local near4 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:15
S33 4	0	internet near5 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and address\$2 near5 local near4 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:15
S33 5	30	internet near5 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:15
S33 6	16	internet near5 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and address\$2 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:20

## EAST Search History

S33 7	56	internet near15 (client\$1 or user\$1 or computer\$1) near15 print\$4 near15 local near5 printer\$1 and address\$2 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:26
S33 8	99	receiv\$3 near10 remote near2 (client or user or computer) and address\$2 near10 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:28
S33 9	3	receiv\$3 near10 print near2 job near10 remote near2 (client or user or computer) and address\$2 near10 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:30
S34 0	27	access\$4 near10 local near2 printer\$1 and address\$2 near10 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:30
S34 1	16	internet and access\$4 near10 local near2 printer\$1 and address\$2 near10 printer\$1 and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:36
S34 2	20	internet near15 (user or computer or client) near15 (request\$3 or send\$3 or transmit\$4) near15 print\$4 near10 ((local near2 network) or lan)and (@ad<"20010514" or @rlad<"20010514")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 12:37